

## Comparison of mental health of the elderly living in the household (with children) with the elderly living in nursing homes in the cities of Tabriz and Urmia (Iran) in 2018

### Abstract

During the contemporary period, man has undergone transformations in terms of lifestyle, social relations, and economic affairs throughout all human history. These changes, in some cases, have had a reversible effect on human health, due to the lack of coordination with the evolutionary processes that man has acquired over the course of tens of thousands of years of social evolution. One of these dimensions is the mental health of the community; among other things, the mental health of the elderly is of particular importance due to human capital and future generations. In this research, the main goal is to achieve the current state of mental health of the elderly living in the home (in the neighborhoodneighbourhood) and living in the nursing home and compare these two. The concept of mental health in this research is based on various approaches, from the point of view of global health ontologists and role theorists (Conrad Lorenz), self-actualization and realization (Yong and Allport), humanists (Maslow), the network of sustainable social networks Adler), theories of psychoanalysis (Freud, Ericsson, Kurt Levine, Carl Rogers) and theories with other approaches have been suggested. The concepts and variables used in this research are mental health and aging-ageing and 28-GHQ measurement tools, which are components of depression, anxiety, social functioning and physical condition of the elderly living in the home and the nursing home. The research method is Ali-Comparative and 100 non-Alzheimer's sample of 50 men and women from Tabriz and 50 men and women from Urmia, including 100 people, 50 people living at home and 50 people living in nursing homes. In analyzing data, descriptive and inferential statistics and t-t test were used. The results of this study indicate reaveledrevealed that the mental health of men living in nursing homes hasvehas a better mental health status than the women these living in nursing homes; and, conversely, women living in the home have a higher mental health status than men living at home.

Key words: mental health, elderly, home (as children), nursing home.

An article is **:[11.Editor]Comment**  
missing before the word

Spelling error **:[12.Editor]Comment**

Preferred UK **:[13.Editor]Comment**  
spelling

Missing space **:[14.Editor]Comment**  
added

Spelling error **:[15.Editor]Comment**

Preferred UK **:[16.Editor]Comment**  
spelling

Missing a **:[17.Editor]Comment**  
hyphen

An article is **:[18.Editor]Comment**  
missing before the word

Extra space **:[19.Editor]Comment**  
should be removed

## 1. Introduction:

During the contemporary period, man has undergone a change in the ways of life, social relations and economic issues more than all human history. Regarding the prevalence of various types of mental illnesses in the community, the importance of efforts to promote the mental health of individuals in each society is more pronounced. The most important issue in this regard is the prevention of issues that cause the mental health of people in the community to be disrupted and consequently have negative consequences. Prevention of these factors is also possible when familiarizing with the current state of mental health in the community of people we are trying to prevent. Because familiarity with our current situation is hoping for us and for helping us to apply appropriate methods to eliminate mental health problems and apply appropriate tools in this regard.

“Normal aging-ageing is the most common pattern, characterized by individuals maintaining a plateau of psychological functioning through their late 50s and early 60s and then showing a modest decline in cognitive functioning through their early 80s, with more dramatic deterioration in the years before death. In contrast, successful agers are characterized by being genetically and socioeconomically advantaged, and maintaining overall cognitive until right before their death” [1].

In a study on elderly, Farquhar (1995) pointed out that the: “... early conclusions findings also indicated that there is-was more to quality of life than health, indeed, social contacts appear to be as valued components of a good quality of life as health status” [2].

The mental health of elderly people is of paramount importance for breeding generations. Therefore, in this research, we have tried to compare the mental health of the elderly living in the home and the residents of the nursing home and we have tried to compare this between the two cities (Tabriz and Urmia). The quality of life issue has been raised as a broader concept of health. Therefore, evaluation of the quality of life in the elderly group of the community can lead to more familiarity with different aspects of their life.

In this research, the most important goal is to achieve the current state of mental health of the elderly sample and compare these two.

## 2. The concept of mental health

An article is **: [110. Editor] Comment** missing

Preferred UK **: [111. Editor] Comment** spelling

Spelling **: [112. Editor] Comment** error

Preferred UK **: [113. Editor] Comment** spelling

An article is **: [114. Editor] Comment** missing

Preferred UK **: [115. Editor] Comment** spelling

Missing space **: [116. Editor] Comment** added

An article is **: [117. Editor] Comment** missing before the word

The concept of mental health is twofold: the theoretical background (including the concept of health in various psychological theories) and the research background (national and global), insofar as the volume of the article allows, can be considered.

2.1. Theoretical background: The World Health Organization has defined health as a complete physical, psychological and social well-being, not just the lack of illness and discomfort [3]. Health is considered in the general view of the psychological, social and physical aspects, and its relation with the environment is also considered. Psychological well-being is a definition that psychologists, social sciences and ~~behavioral~~ ~~behavioural~~ scientists have presented about the fit and proper psychological function of humans. The concept of health and mental illness has undergone many changes during the course of time. In an ethical book, Aristotle ~~wrote that says:~~ "Every human being ~~is~~ ~~should be~~ so healthy that he ~~has~~ ~~had~~ been able to develop human actions." Since human beings have the highest intelligence, then the best life is wisdom and mental health, a kind of life in which reasoning governs it perfectly. ~~The naturalistic concept of-on mental health ef-proposed by Aristotle was ignored in the Middle Ages;~~ from the seventh and sixth centuries, psychological health was defined as righteousness. After the sixteenth century, psychological health was again defined as naturalistic. As the emergence of psychiatry and clinical psychology in the late 19th century, psychological health was typically defined as the "lack of mental illness [4].

"Psychological health ~~can~~ ~~ould~~ be defined in three ways: First, the self-consciousness of the term accepted by Freud (1856), McDougall (1871), George Berkeley (1685), and many of the ontologists and theorists, such as King Lawrence. The second ~~definition~~ ~~definition was~~ ~~involve~~ ~~involveds~~ with self-actualization and self-realization, ~~and that is,~~ the actualization of internal and internal psychological abilities through a kind of psychological transformation. Jung (1875), Allport (1897), and humanists like Maslow (1908), ~~have~~ accepted this view. The third definition of mental health ~~is~~ ~~could be stated as~~ ~~the one that~~ a person ~~has~~ ~~sd~~ been able to integrate with the "Sustainable Social Networking Network"; Adler (1870), and many sociologists ~~have~~ accepted this definition "[5].

2.2. The concept of ~~aging~~ ~~ageing~~ in different theories:

According to the definition of the glossary, adulthood means a fully grown and mature person. Elderly people ~~are~~ ~~were~~ usually confronted with specific problems and issues. One of these problems ~~is~~ ~~was~~ the lack of activity and power of young people. Most old men ~~have~~ retired from their jobs or they ~~cannot~~ ~~could not~~ ~~de~~ ~~continue~~ the same job as before, so they often feel unsafe and lonely and lose social status. They imagined that they no longer needed their existence, and others did not

Spelling error :[118.Editor]Comment

Preferred UK :[119.Editor]Comment  
spelling

Preferred UK :[120.Editor]Comment  
spelling

Preferred UK :[121.Editor]Comment  
spelling

Spelling error :[122.Editor]Comment

Extra space :[123.Editor]Comment  
should be removed

Missing space :[124.Editor]Comment  
added

cared for them; their reality is-was very much like a child whose grandfather rejected him.

Women and especially housewives are-were more prosperous because they can continue to work at home and often take care of their grandchildren. Perhaps this is was one of the reasons for women's livelihood, because the activities they are-were interested in doid not end 60 or 70 years of age. It's important for older people to feel that others are-were still in need of their own and are-were able to keep their daily activities as close as possible. If they feel so important and immune to this level, they willould most likely not be exposed to mental illness and the body that is-was so common in these ages. "Margaret Wagner writes-commented in this regard:"that Some people think Normal behaviors-behaviours and elderly people, such as disregard for clothing and food, selfishness and lack of reverence, and reliance on the past, are-were abnormal behaviors-behaviours, although these behaviors-behaviours often resulted in neglect of the surrounding. For example, in the case of Physical inactivity may involve physical causes such as rheumatism, but sometimes there are were other reasons that haved a psychological nature and surrounding they should not pay attention to these reasons. Girls and boys of the elderly should not leave their parents thoroughly, and they should be given immeasurable attention, because if they are-were rejected, they willould feel insecure and anxious and humble, and if they support them, on the contrary, More than that, feelings of reliance and lack of independence are-were exacerbated.

If older people are-were not allowed to work, they will-would be compelled to go a long way in the world of dreams and past memories, while they will-would be healthier and happier with their proper activity, physical and mental life. In this context, Luton says-opined that "if older people's daily lives and useful activities are were not occupied, their physical and mental health will-would be damaged. One One third of the patients admitted to mental hospitals are-were those who are-were more than forty-five years old. If the community of our peoples hasd been barren, futile, and overwhelming, they are-were constantly immersed in the past, then they will-would likely increase their number in mental hospitals" [6].

The problem of retirement, especially given the rising life expectancy in the countries on the one hand, and the unchanging old retirement age rules of 60 or 30 years old, on the other hand, is a serious problem for a group of people. The most important thing in retirement is to feel worthwhile and necessary. Maintaining a relationship with past care and part-time work and counseling-counselling (by getting a salary or an honorary one) is also a great help for a person's sense of being [7].

### 2.3. Research Background:

Unnecessary :[125.Editor]Comment  
comma after subordinate conjunction

Spelling error :[126.Editor]Comment

Spelling error :[127.Editor]Comment

Spelling error :[128.Editor]Comment

comma is :[129.Editor]Comment  
missing before and after the coordinating  
conjunction in a compound sentence

comma is :[130.Editor]Comment  
missing before and after the coordinating  
conjunction in a compound sentence

Missing a :[131.Editor]Comment  
hyphen

Spelling error :[132.Editor]Comment

The importance of mental health issues has ~~sd been~~ led to a lot of research in Iran and the world ~~on the issue~~. These researches, each with different questionnaire tools, had ~~ve~~ examined different dimensions of mental health such as depression, anxiety and other categories in various ways. In this section, ~~we it is~~ referred to some of the research that relates to the subject matter of the research.

Heydari et al. (2012) ~~in an elderly study, have come to the conclusion that:~~ "The ~~the~~ results of this ~~their study have had~~ suggested the implications for policy and practice. ~~this-~~ Their study emphasized the importance of planning programs to increase elderly people's social assistance, and improve medical, health and ~~counseling-counselling~~ services for them. ~~...-Also there is was~~ They also suggested for a further need to improve and strengthen formal care in the nursing home and ~~reorienting-reorienting~~ health services both in the community and homes for the elderly" [8].

Spelling error :[133.Editor]Comment

Spelling error :[134.Editor]Comment

Evans et al (2002) concluded ~~in an elderly study that:~~ "... The ~~present the~~ findings of ~~their study~~ should be extended to more heterogeneous populations of senior citizens given the present focus on healthy individuals living independently in their community. Perhaps frailer elders would be more vulnerable to poor housing quality. Positive characteristics of housing quality ~~mayight~~ be associated with mental health, too. Interior design ~~... canould~~ foster personalization and remembrances of significant, enjoyable life events and activities" [9].

Preferred UK :[135.Editor]Comment  
spelling

The study of Sobasi and Hayran (2005) ~~also concluded that:~~ "The ~~was aimed of our study was~~ to evaluate the quality of life of the elderly living in nursing homes. The ~~... D~~ data regarding the socio ~~... demographic~~ characteristics and life satisfaction index ~~... A(LSI-A)~~ of the participants were collected by means LSI-A score of these elderly people who spent some time in leisure activities was significantly higher than those who did not" [10].

One of the basic concepts of the complex world of man, whose age ~~is was~~ his height, ~~is was~~ the concept of health. The World Health Organization considers health as "a state of complete physical, psychological and social well-being, and not just a lack of illness or disability" [11]. In another definition: " ~~health had been defined as~~ Health ~~in is~~ one way it recognizes united action that aims to maximize individual power. ~~In his opinion, t~~ The health requires ~~ds~~ that ~~the a~~ person keeps the balance ~~of the balance and between~~ the ~~path paths~~ with the environment, ~~that is,~~ where the action reveals itself" [12]. —In general, health definitions had ~~ve~~ emerged from patterns that are component the views of different scholars had ~~ve~~ been based on these approaches. ~~||~~ three main patterns in the definition of health had ~~ve~~ always been considered:

extra space :[136.Editor]Comment  
deleted

A - Model of Medicine: This model mainly focus ~~edes~~ on the biological and physiological explanation of health.

B - Environmental pattern: This pattern ~~had~~s emerged from the new ecosystem analysis and environmental hazards to human health. In this model, health ~~is-could~~ be defined according to the quality of individual compromise with the environment when the conditions change.

C - General pattern: “This model ~~defined~~s the health in terms of the general population and ~~included~~s the biological, physiological, psychological, emotional, social, spiritual and environmental aspects of individuals; and ~~focused~~s on optimal health, disease prevention, and state Positive psychological and emotional focus” [13].

“This model would believe that health ~~is-was~~ not static, it ~~is-was~~ a dynamic process that reflects a dynamic process that ~~reflects~~s everyday decisions and activities” [12]. The establishment of this model ~~has~~-led to the emergence of a new interdisciplinary realm, which by adopting a general approach and applying this strategy in research methodology, ~~seeks~~ to respond to unresolved puzzles of one-dimensional views on health and disease [14].

3. Purpose of the research:

In this research, the main objective of the study ~~is-was~~ to achieve the current state of mental health of the elderly living in the home (near the children) and the nursing home and compare them.

4. Research Questions:

1. What is the state of mental health of the elderly according to gender?
2. What is the mental health status of the elderly according to the status of the home (home and nursing home)?
3. What is the mental health status of the city (Tabriz and Urmia) ?
4. What is the status of the GHQ28 quadruple scale in terms of gender?

5. Concepts and variables used in the research:

5.1. Mental Health - Mental Health means mindfulness and mental health, and it is meant to indicate a positive state and mental health that can contribute to creating a valuable system for the development of mobility, individual, national, and international development [15].

5.2. Mental Health: A set of factors that have an important role in preventing the development or progression of the process of deterioration of cognitive, emotional and ~~behavioral-behavioural~~ disorders in humans [6].

Spelling error :[137.Editor]Comment

5-3. Success ~~is~~ could be termed as a ~~the~~ changes that occurs over time. This process hasd positive and negative aspects and includes the dynamics of biological processes, perception, development, and puberty, meaning that aging-ageing lasts throughout life. Aging-Ageing ~~is~~ could be thought to be a phase in which the reduction and decay of the body and the thought of a person occurs, and in fact, only a certain aspect of growth and evolution is shown [16].

Spelling error :[138.Editor]Comment

Spelling error :[139.Editor]Comment

#### 6. Concepts used in the Mental Health Questionnaire (GHQ-28):

1. Depression - A mood disorder, the two main characteristics of which are disappointment-and sadness, in which a person feels incapacitated and worthless in addition to these two characteristics.

2. Anxiety is an unpleasant excitement that is expressed in terms such as - a model of anxiety and fear of horror and fear.

3. Social Function - A person's thinking about his social function in the community and in relation to other people.

4. Physical state - the attitude that a person has in a physical state in relation to health or inadequate health [17].

#### 7. Research Method:

The present research method is causal-comparative.

7.1. Statistical population: The population of this study includes all elderly people of Tabriz and Urmia towns and residents of the elderly and nursing homes near the children.

7.2. Sampling method: A random stratified random sampling method was used to determine the sample size.

7.3. -The sample consisted of 100 elders, 50 women and men from Tabriz, 50 men and women from Urmia, and 100 of them-the 50 people living in nursing homes and 50 people living at home.

The word :[140.Editor]Comment seems to be miswritten

7.4. Information gathering method: A questionnaire was used to collect information. This questionnaire is forbearing. In the first part of the questionnaire, the information required by the researchers in relation to some variables has been included in order to examine its relationship to the general title of mental health research, and in the second part, the questions have been considered in order to assess the mental health status.

7.5. Research tool: The general health questionnaire 28 questionnaire~~s~~ was used in this research.

change to :[141.Editor]Comment plural form

7-6. Method of data analysis: The data analysis method is descriptive and inferential in the present study. T-test was used.

The t-t test ~~is was~~ used to compare ~~the~~ two independent data from ~~a~~ quantitative dataset. In the t-t test, the hypotheses H. and H<sub>1</sub> ~~are were~~ obtained as follows:

$$H.: \mu_1 = \mu_2 \quad \text{or} \quad H_1: \mu_1 \neq \mu_2$$

The assumption of H. ~~is that could be termed as~~ there is no meaningful difference between the ~~average averages~~ of two instances, while assumption of H<sub>1</sub> implies ~~a~~ significant difference between ~~the~~ average of two samples.

### 8. Findings:

In this study, an estimate of the mental health status of the elderly living in the home and the elderly living in a nursing home in Tabriz and Urumia cities has ~~sd~~ been made.

Question 1: How is the mental health of the elderly according to their residence?

Table1: Statistical Results of Mental Health Elderly people living in homes

sig	t	Standard deviation	Average	Maximum score	Minimum score	Number	Habitation
2.617	0.77	8.01	19.91	48	4	50	Home
		15.56	33.53	65	4	50	Home for the Aged

The average score of the elderly living in the nursing home ~~is was~~ higher than the average score of the elderly living at home (near the children) and ~~is was~~ based on t, which ~~is was~~ less than t table. There ~~is was~~ a significant difference between the mental health of the elderly living at home and at home.

Question 2: Is there a difference between the mental health status of the elderly according to gender?

Table 2: Results of t-test in relation to mental health status Respondents by gender

Missing a :[142.Editor]Comment  
hyphen

Missing a :[143.Editor]Comment  
hyphen

Plural form :[144.Editor]Comment

Plural form :[145.Editor]Comment

An article is :[146.Editor]Comment  
missing before the word



sig	t	df	Standard deviation	Average	Number	Gender	Habitation
2.617	0.149	98	29.11	22.64	13	Man	Home for the Aged
				18.3	36	Man	Home
2.617	0.449	98	39.33	35.21	38	Female	Home for the Aged
				17.53	13	Female	Home

The average number of ~~of~~ men living in nursing homes is ~~was~~ higher than the average number of men living at home, and also ~~the~~ average number of women living in nursing homes is higher than the average number of women living at home. and also ~~According to the t-value score obtained from t-table t, (Men, t=0/149-) & (Women, t=0/449 )~~ the difference between gender is ~~was~~ significant in terms of mental health.

Should be t- : [147.Editor]Comment table

Question 3: How is the mental health of the elderly in terms of the city?

8.5. Table (3): The results of t-test on mental health and its components separately from the city.

sig	t	df	Standard deviation	Average	Number	City	Variable
2.617	8.46	98	0.93	0.75	50	Tabriz	<b>Physical signs</b>
			1.26	0.98	50	Urmia	
2.617	0.977	98	3.2	4.19	50	Tabriz	<b>Anxiety</b>
			0.59	1.01	50	Urmia	

2.617	1.002	98	2.89	4.16	50	Tabriz	<b>Social function</b>
			0.74	1.17	50	Urmia	
2.617	3.359	98	0.43	0.34	50	Tabriz	<b>depression</b>
			0.84	1.375	50	Urmia	

The mean score of physical symptoms and depression in the elderly of Tabriz ~~is-was~~ less than the elderly in Urmia, but in the anxiety and social function of the average calculated more than the average of Urmia, therefore, based on ~~t-t~~ test, there ~~is-was~~ a significant difference between the symptoms Physical and anxiety and social function, but the amount of t obtained in depression indicates that there ~~is-was~~ no significant difference between the two cities.

Missing a **: [148. Editor] Comment**  
hyphen

Question 4: Is there a meaningful gender difference based on the quadruple GHQ-28 scales?

8.6. Table (4): The results of t-test on ~~the~~ mental health of the elderly GHQ based on gender

An article is **: [149. Editor] Comment**  
missing before the word

sig	t	df	Standard deviation	Average	Number	City	Variable
2.617	8.46	98	0.93	0.75	50	Tabriz	<b>Physical signs</b>
			1.26	0.98	50	Urmia	
2.617	0.977	98	3.2	4.19	50	Tabriz	<b>Anxiety</b>
			0.59	1.01	50	Urmia	
2.617	1.002	98	2.89	4.16	50	Tabriz	<b>Social function</b>
			0.74	1.17	50	Urmia	
2.617	3.359	98	0.43	0.34	50	Tabriz	<b>depression</b>
			0.84	1.375	50	Urmia	

The mean score of physical symptoms and anxiety and social function of women ~~is was~~ higher than that of men. The mean of male depression score ~~is-was~~ more than that of women, and according to the t-value calculated, the mental health sub-scales, which ~~are-were~~ less than the t-table with a degree of freedom of 98, ~~are-were~~ therefore statistically significant.

## 9. Discussion, interpretation, conclusion

The importance of mental health issues has led to a lot of research in Iran and throughout the world on the issue. These researches, each with different questionnaire tools, have examined different dimensions of mental health such as depression, anxiety and other categories in various ways.

Babapur and et al.(2014)concluded that during the research: One of the basic concepts of the complex world of man, whose age is his height, is the concept of health [18].

Also in the research of Edelin and et al. (2016): concluded that health is one way it recognizes the united action that aims to maximize individual power. In his their opinion, the health requires that the person to keeps the balance of the balance and the life path with the environment, that is, where the action reveals itself [19].

In the commentsThe findings of Azadflah and et al.(2016): revealed that which by adopting a general approach and applying this strategy in research methodology, seeks to respond to unresolved puzzles of one-dimensional views on health and disease [20].

AlsoAccording to Ismaili Shirazi (2016), considering the opinions of the experts: Ageing is was thought to be a phase in which the reduction and decay of the body and the thought of a person occurs, and in fact, only a certain aspect of growth and evolution is shown [21].

But in the research that we have done the findings of the current research, revealed that the research vacuums related to the research issue and on this occasion: Based on the hypotheses mentioned, the mental health of the elderly has been studied based on gender, place of residence, and four criteria of GHQ-28, and the findings are as follows.

In relation to the elderly, the results of the analyses data in tables 1,2,3 &4 confirmed the viewpoint of psychologists and research backgrounds.

The aim of this study is was to assess the mental health of the elderly living in the home of the elderly and the elderly living at home (near the children). Based on this, among the tools available for evaluating mental health, a general health questionnaire (GHQ-28) was selected.

As in the present study, physical symptoms, anxiety and social function of women are were more than men and men than women with depression. In general, women are were better off than men. The elderly in Tabriz hadve a better position in terms of physical symptoms and depression than the elderly in Urmia. Conversely, the elderly in the city of Urmia hadve a better situation in terms of anxiety and social function.

Comma is missing after the introductory phase

As the results of the t-test in relation to mental health status were obtained by sex, men living in the elderly's home had ~~ve~~ a better mental health status than women living in the elderly, and, on the other hand, women living in the home had ~~ve~~ a better mental health status than ~~M~~men ~~are-were~~ living at home.

Based on the location of the residence, the results of this study indicated ~~d~~ that the elderly living at home (near the children) of the elderly living in the elderly had ~~ve~~ a better mental health status.

#### 10. Research constraints:

The research limitations of the lack of cooperation among some elderly people living in the elderly were due to lack of shuffling, sickness, anger and so on. Or some were illiterate, and questions should be read to them. Even some of the elderly living in the homes ~~s~~ were not willing to answer or accept the questionnaire because of their perceptions and misconceptions in the questionnaire.

#### 11. Suggestions:

In addition, ~~to the results of this research, it is suggested that attention should be paid-given to the interaction with the elderly:~~

11.1. You should not think tired, sick, depressed, unconscious, isolated, thin, and ... of the elderly, because they make them accept or formulate this false belief about themselves.

11.2. They should not leave them out of the realm of life, and at the same time, ~~they~~ should not have any expectations.

11.3. Succession people are a valuable source of experience and dialogue and socialising with them are very useful and make us believe that they are still useful.

11.4. To prevent them from forgetting, their daily activities are reminded or helped to recall.

11-5. Retirement workers must, after retirement, have a half-time job to make them feel better about their individual health and social life.

Comma :[151.Editor]Comment missing

Preferred UK :[152.Editor]Comment spelling

#### References:

1. Segal Daniel L., Qualls Sara Hon, and Smyer Michael A. (2018). Aging and Mental Health. Third Edition. WILEY Blackwell. Willey & Sons, Inc. Colorado.USA.

2. Farquhar, Morag: Elderly People's definitions of quality of life. ELSEVIER. Social Science & Medicine. Volume41, Issue10, November1995, Pages1439-1446.  
[http://doi.org/10.1016/0277-9536\(95\)00117-P](http://doi.org/10.1016/0277-9536(95)00117-P)
3. Austad, Carel Shaw ( 2017 ) . Counseling and Psychotherapy Today: Theory, Practice , and Research . Translated by Firozbakht , Mehrdad , Tehran : Virayesh Publication .
4. Herghenhan, B.R ( 2016 ). History of Psychology ;. Translated by Seyyed Mohammadi , Yahya . Tehran : Arasbaran Publication .
5. Fist & Fist (2017). Personality theories. Translation by Seyyed Mohammadi, Yahya. Tehran: Ravan Publication.
6. Shamlo, Saeed (2013). Mental Health, Tehran: Growth Publication.
7. Lutf Abadi, Ali (2014). Growth Psychology: Adolescence, Adolescence, Youth: Tehran: Publication.
8. Heydari J., Khani S. and Sahhosseini Z. :Health related quality of life of elderly living in nursing home and homes in district of Iran: Implications for policy marks. Indian Journal of Science and Technology. Vol.5, No.5,(May2012). Pages 2782-2787.
9. Evans GW, Kantrowitz E, Eshelman p. : Housing quality and Psychological Well-Being Amog the Elderly Population. The Journal of GERONTOLOGY. OXFORD ACADEMIC. The GERONTOLOGICAL SOCIETY OF AMERICA. Series B, Volume 57, Issue 4, 1July 2002, Pages P.381-P.383.  
<https://doi.org/10.1093/geronb/57.4.p381>
10. Subasi F, Hayran D. : Evaluation of life satisfaction index of the elderly people living in nursing homes. Science Direct. Archives of Gerontology and Geriatrics. Volume 41, Issue 1, July-August 2005, pages 23 – 29.  
<https://doi.org/10.1016/j.archger.2014.10.005>
11. Baba Pour, Khairuddin, Jalil, (2017). Investigating the Effect of Communication Challenges and Problem Solving Strategies on Students' Psychological Health, 3rd National Students' Mental Health Seminar. Tehran: Iran.
12. Edelin & et al. (2016). Investigating the Effect of Communication Challenges and Problem Solving Strategies on Students' Psychological Health. Third Student Mental Health Seminar. Tehran Iran.
13. Hermann, Hozler (2016). Investigating the Effect of Communication Challenges and Problem Solving Strategies on Students' Psychological Health. Third Student Mental Health Seminar. Tehran.
14. Azadfleh and colleagues (2016). Investigating the Effect of Communication Challenges and Problem Solving Strategies on Students' Psychological Health. Third National Students' Mental Health Seminar. Tehran: Iran.
15. Hydramid, Siamak (2015). The concept of psychological health. Tehran: Javdan Publications.

16. Ismaili Shirazi, Marzieh (2016). Old Age Social Psychology, Shiraz University Press. Iran.
17. Atchinson, Rital. And colleagues (2016). The Hylgard Psychology Background, Translation of the Translators Group by Mohammad Naghi Barahani, Tehran: Growth Publishing.
18. Baba Pour, Khairuddin, Jalil, (2017). Investigating the Effect of Communication Challenges and Problem Solving Strategies on Students' Psychological Health, 3rd National Students' Mental Health Seminar. Tehran: Iran.
19. Edlin et al. (2016). Investigating the Effect of Communication Challenges and Problem Solving Strategies on Students' Psychological Health. Third Student Mental Health Seminar. Tehran Iran.
20. Azadfeh and colleagues (2016). Investigating the Effect of Communication Challenges and Problem Solving Strategies on Students' Psychological Health. Third National Students' Mental Health Seminar. Tehran: Iran.
21. Ismaili Shirazi, Marzieh (2016). Old Age Social Psychology, Shiraz University Press. Iran.

UNDER PEER REVIEW