

## STANDARDIZATION OF FERMENTATION TIME FOR FOXTAIL MILLET TO BLACKGRAM

**Abstract:** Fermentation is an easy and economic food processing method used to prepare desirable convenient foods. Instant or ready to use dosa mix from foxtail millet, rice and pulses (black gram and green gram) at 37°C with fermentation intervals of 6, 12 and 18 hours depending upon the pulse were analysed. Different combinations were prepared by mixing these ingredients in various ratios like 70% foxtail millet, 20% black gram, 10% green gram or 50% foxtail millet, 20% rice, 30% black gram and 10% green gram or 50% foxtail millet, 20% rice, 20% black gram, 10% green gram and control of 70% foxtail millet and 30% black gram. The results revealed that 12 hours of fermentation was necessary to give best dosa for all combinations and control. The first combination gave better results when compared with control and the percentage increase in appearance, texture, flavour and overall acceptance were 3.66%, 2.41%, 1.18% and 1.19% respectively with decrease in taste by 7.53% and no change in sourness for both samples.

**Keywords:** Foxtail millet, rice, black gram, green gram, fermentation, instant foods, convenience foods, incubation time, sensory evaluation.

**Introduction:** Convenience foods are commercially prepared for the ease of consumption and can also be preserved for a longer duration of time suitable today's busy lives. These types of foods first emerged in the United States after World war II (Gosse *et al.*, 2008). In the beginning, they were designed for military to overcome problems of short storage and for ease of preparation in the battle grounds (Rudolph *et al.*, 2012).

Foxtail millet was part of balanced diet in the bygone times but has been replaced with other crops. In the current changing life style and food habits, consumption of nutrigrains in daily diet is reduced due to lack of cultivation of these cereals along with abundant availability of less nutritious cereals at lowered cost (Thippeswamy *et al.*, 2017).

---

Like most of the millet varieties, foxtail millet continues to exist as an underutilized food. However, in the recent times, it is receiving increased research and commercial attention,

because its cultivation is not too demanding from agricultural point of view as it incurs less agricultural inputs and has ability to grow in different terrains with limited water supply (Sharma and Niranjana, 2017).

A diet balanced in all the five food groups is essential for the overall wealth of an individual's health. Pulses and legumes are part of a healthy and nutritious diet. They are part of human diet for more than 10,000 years and are still most widely used foods in the world. They are a sound source of protein and fiber along with the considerable amounts of vitamins and minerals such as iron, zinc and magnesium (Vrinda *et al.*, 2017).

Fermented foods and beverages are receiving increased attention due to their improved shelf lives, non-toxic nature, functional, sensory and nutritional properties. This processing technique increased the presence of bioactive compounds like vitamins, minerals and other constituents and enhanced the rate of absorption into the blood. They benefit the human body by preventing health problems like gastrointestinal disorders, diabetes and cardiovascular diseases (Rezac *et al.*, 2018).

Numerous food processing techniques such as milling, decortication, soaking, germination/malting, fermentation *etc.* were developed to efficiently enhance nutritional and sensory properties of the millets, thus helping to combat undernourishment (Rathore *et al.*, 2016).

Studies on fermentation and product development of fermented foxtail millet are less. So, the present study was designed for profiling of fermentation parameters of foxtail millet in ready to use dosa mix.

#### **Materials and methods:**

**Procurement of raw materials:** The foxtail millet variety SiA 3085 was acquired from Department of Agronomy, Agriculture College, PJTSAU, Polasa, Jagtial and rest all the ingredients like rice, black gram, green gram, oil and salt were procured from the local markets of Hyderabad.

**Fermentation of the grains:** Foxtail millet, black gram, green gram and rice were mixed in three combinations:

- Control: Foxtail millet - 70% and black gram - 30%
- Combination 1: Foxtail millet - 70%, black gram - 20% and green gram - 10%
- Combination 2: Foxtail millet - 50%, rice - 20% and black gram - 30%,
- Combination 3: Foxtail millet - 50%, rice - 20%, black gram - 20% and green gram - 10%)

Rice was completely substituted with foxtail millet in control and fermentation carried out at different intervals of 6, 12 and 18 hours. In the other samples, depending upon the pulse combination and addition of rice, fermentation was done for 6, 12 and 18 hours or 6 and 12 hours.

**Preparation of fermented instant dosa mix:** The fermented grains were dried in a tray drier at 50°C until constant weight was recorded and ground to fine flours followed by sieving with a 0.5 mm sieve (Carciochi *et al.*, 2016).

**Reconstitution and preparation of dosa from the instant mixes:** 50.0 g of the developed instant dosa mix at each incubation time was blended with 70.0 ml of water and kept aside for 20 minutes. Salt was added to taste, a scoop of dosa batter was poured on a heated flat griddle, spread from inside out and roasted to golden brown with flipping to the other side if required (Sushmitha *et al.*, 2017).

**Sensory evaluation:** Standardization of rice to black gram dal dosa mix was done by sensory evaluation using 9-point sensory hedonic scale. A semi-trained panel of 15 members from PGRC, PJTSAU were selected for this purpose. The panellists were provided with samples in plates coded with three-digit numbers and were asked to rinse their mouth with water after testing each sample. The instant dosa were evaluated for their appearance, sourness, texture, flavour and overall acceptability. The nine points in the hedonic scale ranged from 1 to 9, 1 being I dislike extremely *i.e.*, very bad and 9 being I like extremely *i.e.*, the product is excellent in particular attribute (Meilgaard *et al.*, 1999).

**Results and discussion:** Dosa made with foxtail millet to black gram along with other combinations of foxtail millet, rice and pulses (black gram and green gram) were evaluated for sensory characteristics and presented in Figures 1 to 4. The sensory scores of control at 6, 12 and 18 hours of fermentation for appearance ranged from 7.2 to 8.2, sourness from 7.9 to 8.3, texture from 7.7 to 8.3, flavour from 7.5 to 8.5, taste from 7.5 to 8.3 and overall acceptance from 7.7 to 8.4 (Figure 1).

The sensory scores of first combination at same fermentation times for appearance ranged from 7.9 to 8.5, sourness from 7.4 to 8.3, texture from 7.9 to 8.5, flavour from 7.7 to 8.6, taste from 7.6 to 8.6 and overall acceptance from 7.6 to 8.5 (Figure 2). The sensory scores for second combination at 6 and 12 hours of fermentation were 7.7 and 8.3 for appearance, 7.6 and 8.1 for sourness, 7.9 and 8.2 for texture, 7.7 and 7.9 for flavour, 7.8 and 8.2 for taste, 7.5 and 8.2 for overall acceptance respectively (Figure 3). The sensory scores for third combination consisting of rice was done at 6 and 12 hours were 8.0 and 8.2 for

appearance, 7.3 and 8.1 for sourness, 7.3 and 7.9 for texture, 7.8 and 8 for flavour, 7.7 and




Figure 1: Sensory aspects of control (foxtail millet to black gram)




Figure 2: Sensory aspects of combination 1 (foxtail millet to black gram and green gram)




Figure 3: Sensory aspects of combination 2 (foxtail millet to rice and black gram)





Figure 4: Sensory aspects of combination 3 (foxtail millet to rice, black gram & green gram)

8.3 for taste, 8 and 8.1 for overall acceptance respectively (Figure 4).

The results revealed that of all the fermentation time periods and for all the combinations including control, dosa made with 12 hours of fermentation gave highest scores for all sensory attributes and was best accepted. When compared to the control, dosa made with combination 1 and combination 2 showed increase in appearance by 3.66% and 1.22% respectively, whereas combination 3 neither increased nor decreased. In terms of sourness, combination 1 and combination 3 showed similarity to control, whereas combination 2 showed decrease of 2.41%.

In terms of texture, combination 1 showed an increase of 2.41% when compared to control, whereas combination 2 and 3 showed decrease of 1.20 and 4.82% respectively. Flavour of the dosa made from first combination was liked more than control by 1.18%, whereas combination 2 and 3 showed decrease by 7.06 and 5.88%. The taste of the dosa made from three combinations showed decrease of 7.53, 11.83 and 10.75% respectively when compared with control. In terms of overall acceptance combination 1 was liked by 1.19% whereas, combination 2 and 3 were not agreeable showing a decrease of 2.38 and 3.57% respectively (Figure 5).



**Figure 5: Percentage change in sensory aspects with control and combinations**

**Conclusion:** The present study showed that 12 hours of fermentation resulted in best dosa among the selected time periods irrespective of the combinations chosen. When compared with control, combination 1 showed 3.66% increase in appearance, 2.41% in texture, 1.18% in flavour and 1.19% in overall acceptability, whereas taste decreased by 7.53% with no difference in sourness to control. Thus, combination 1 was liked after control, while the other two combinations were not accepted based on sensory evaluation results.

**References:**

Carciochi, M., Alessandro, G.D., Vadendriessche, P.L and Chollet, S. 2016. Effect of germination and fermentation process on the antioxidant compounds of quinoa seeds. *Plant Foods for Human Nutrition*. 71(4): 361-367.

- Gosse. Moser, V and Richard, R. (2008). The world the sixties made: politics and culture in recent America. Retrieved 2013-07-10.
- Meilgaard, M., Civille, G.V and Carr, B.T. 1999. Sensory Evaluation Techniques. 3<sup>rd</sup> Ed. CRC Press, Boca Raton.
- Rudolph, T., Schlegelmilch, B., Bauer, B.A., Joseph, M and Niklas, J. 2012. Diversity in European marketing: Text and cases. p. 180. ISBN 9783834969767. Retrieved 2013-07-10.
- Sharma, N and Niranjana, K. 2018. Foxtail millet: Properties, processing, health benefits, and uses. *Food Reviews International*. 34(4): 329–363.
- Sushmitha. G., Bhasker, V., Swathi. M., Prashanth. V and Reddy, M. S. 2017. Formulation and evaluation of dosa instant mix using Italian millet / foxtail millet (*Setaria italica*). *International Journal of Advance Engineering and Research Development*. 4(6): 869-874.
- Rathore, S., Singh, K., Kumar, V. 2016. Millet grain processing, utilization and its role in health promotion: A Review. *International Journal of Nutrition and Food Sciences*. 5(5): 318-329.
- Rezac, S., Kok, C.R., Heermann, M and Hutkins, R. 2018. Fermented Foods as a Dietary Source of Live Organisms. *Front Microbiol*. 9:1785.
- Thippeswamy, V., Sajjanar, G.M., Nandini, C., Sujata, B and Pushpa, D. 2017. Characterization of genotypes for nutritional traits in foxtail millet (*Setaria italica* (L.) Beauv.). *International Journal of Current Microbiology and Applied Sciences*. 6(12): 97-101.
- Vrinda. R., Pushpan, C.K and Helen. A. 2017. Comparative effect of horse gram and black gram on inflammatory mediators and antioxidant status. *Journal of Food and Drug Analysis*. 25(4): 845-853.