

### Dynamic Nano Clusters of Water on EVODROP Water

#### ABSTRACT

A research for nano clusters of electrochemically waters catholyte and anolyte was recently performed (Ignatov, Gluhchev et al., 2020) (1). The actual study is connected with EVODROP water. Methods NES (Non-equilibrium Energy Spectrum) and DNES (Differential Non-equilibrium Energy Spectrum) are used for the study (Antonov, 1995, Ignatov, 1998) (2, 3). They allow the evaluation of hydrogen bonds energy. It is expected that these spectral analyses and mathematical models could help explaining the different effects of EVODROP water. Influence of different types of waters on the nervous system and antiinflammatory and antitumor effects have been reported (Ignatov, Mosin, 2013) (4).

The device for the production of EVODROP water is invented by Fabio Huether. It transforms the tap water into alkaline one with a negative oxidation reduction potential (ORP) measured in milivolts (mV).

The study was performed of alteration of hardness of EVODROP water according tap water as control sample.

*Key words: EVODROP water, number of water molecules, energy of hydrogen bonds, NES, DNES*

#### 1. INTRODUCTION

Hydroxyl groups (-OH) in H<sub>2</sub>O molecule are polar. The electromagnetic hydrogen bonds (O-H...O) connect H<sub>2</sub>O molecules. Hydrogen bonds are much weaker than covalent bonds. The spectral method NES and DNES allow for the measurement of the parameters of hydrogen bonds with estimation of the effects in EVODROP water compared with tap water as a control sample.

The water molecules could be binded into complex intermolecular clusters described by a general formula (H<sub>2</sub>O)<sub>n</sub>. EVODROP water has higher energies of hydrogen bonds and increased local extremums in spectrum compared to the control sample. The expectations are for some effects on human health.

A research performed with Raman spectroscopy has shown that hydrogen bonds among water molecules are constantly tearing, changing and moving (Geissler, Saykally, Smith, 2005). According to the model of Keutsch, Saykally, Smith with from 3 to 50 water molecules are connected (5, 6, 7). These results correlate with our quantum-mechanical analysis of water spectrum (Ignatov, Mosin, 2013) (4). Fowler, Quinn, Redmond (8) and Ignatov, Mosin suggested models with 3 to 60 water molecules (4). Different models of water clusters has been described in the research of Shu et al. (2020) (9), Chaplin (2011) (10), Sykes (2007) (11), Liu, Cruzan,

Saykally (1996) (12), Choi, Jordan, (2010) (13), Loboda, Goncharuk (2010) (14), Timothy S., Zwier S. (2004)(15), using the

The research of water clusters  $(\text{H}_2\text{O})_n$  are with the following methods  $^1\text{H-NMR}$ , neurons diffraction, X-Ray, EXAFS-spectroscopy, IR spectroscopy, NES and DNES spectral methods. There ionic clusters  $[(\text{H}_2\text{O})_n]^+$  and  $[(\text{H}_2\text{O})_n]^-$ .

In this research two of the authors Ignatov and Gluhchev have performed mathematical models of water molecules of EVODROP water and tap water. It is accepted that the aqueous solutions may undergo autoprotolysis, i.e. the  $\text{H}^+$  proton is released from  $\text{H}_2\text{O}$  molecule and then transferred and accepted by the neighboring  $\text{H}_2\text{O}$  molecule resulting in formation of hydronium ions as  $\text{H}_3\text{O}^+$ ,  $\text{H}_5\text{O}_2^+$ ,  $\text{H}_7\text{O}_3^+$ ,  $\text{H}_9\text{O}_4^+$ , etc. Thus, water should be considered as an associated liquid composed from a set of individual  $\text{H}_2\text{O}$  molecules, linked together by hydrogen bonds and weak intermolecular van der Waals forces (Liu, Cruzan, Saykally, 1996) (11). The simplest example of such associate can be a dimer of water.

The following parameters of EVODROP water – spectral parameters, hardness, oxidation reduction potential (ORP) and pH are studied.

There are proofs for the effects of different types of drinking wates on human longevity (Ignatov, Mosin et al., 2014-2018) (Ignatov, Mosin et al.)(16, 17, 18), antitumor effects (Toshkova, Ignatov, Zvetkova, Gluhchev, 2019) (19, 20), anti bacterial and anti viral effects (Karadzhev et al., 2014-2015) (21, 22).

## 2. MATERIALS AND METHODS

### 2.1. NES and DNES Spectral Analyses

The device invented by A. Antonov (2), based on an optical principle and methods NES and DNES for spectral analysis are used. The evaporation of water drops is in hermetic camera with a glass plate and water-proof transparent pad which consists of thin maylar folio.

The parameters are:

- monochromatic filter with wavelength  $\lambda = 580 \pm 7$  nm (yellow color in visible spectrum);
- angle of evaporation of water drops from  $72.3^\circ$  to  $0^\circ$ ;
- temperature (+22–24  $^\circ\text{C}$ );
- range of energy of hydrogen bonds among water molecules is  $\lambda = 8.9\text{--}13.8$   $\mu\text{m}$  or  $E = -0.08\text{--}-0.1387$  eV. ;

The energy ( $E_{\text{H...O}}$ ) of hydrogen O...H-bonds among  $\text{H}_2\text{O}$  molecules in water sample is measured in eV. The function  $f(E)$  is called a spectrum of energies distribution. The energy spectrum of water is characterized by a non-equilibrium process of water droplets evaporation and this is a non-equilibrium energy spectrum (NES), measured in  $\text{eV}^{-1}$ . DNES is defined as the difference

$$\Delta f(E) = f(\text{samples of water}) - f(\text{control sample of water}),$$

where  $f(*)$  denotes the evaluated energy.

DNES is measured in  $\text{eV}^{-1}$  as well.

### 2.2. Electrical measurements

The device – HANNA Instruments HI221 meter equipped with Sensorex sensors was used for the

measurement of Oxidation Reductin Potential (ORP) in mV, and pH.

The Range of HANNA Instruments HI221 meter is:

pH - (2.00-16.00 ±0.01)

ORP (±699.9±0.01 – ±2000±0.1) mV

### 3. RESULTS AND DISCUSSION

#### 3. 1. Mathematical Models of Nano clusters of EVODROP water

A mathematical model of the number of water molecules according to the energy of hydrogen bonds in EVODROP water has been developed (Ignatov, Gluhchev, 2020) (1) (Table 1; Figure 1).

The definition of the author of Nano clusters of EVODROP Fabio Hüther is EVODROP® Water.

Table 1: Distribution of the number of water (H<sub>2</sub>O) molecules in EVODROP water according to the energy of hydrogen bonds

-E(eV) x-axis	EVODROP® Water Number of water molecules	Tap water (Control Sample) Number of water molecules	-E(eV) x-axis	EVODROP® Water Number of water molecules	Tap water (Control Sample) Number of water molecules
0.0912	0	7	0.1162	0	0
0.0937	0	0	0.1187	3	8
0.0962	5	8	0.1212	15	0
0.0987	3	0	0.1237	0	5
0.1012	0	8	0.1262	0	0
0.1037	0	6	0.1287	9	7
0.1062	9	8	0.1312	2	4
0.1087	0	7	0.1337	0	5
0.1112	12	0	0.1362	17	8
0.1137	0	5	0.1387	25	14




Figure 1: Distribution of the number of water (H<sub>2</sub>O) molecules in EVODROP water (red color) and tap water as control sample (green color) according to the energy of hydrogen bonds

The evaluation of the possible number of hydrogen bonds as percent of H<sub>2</sub>O molecules in EVODROP water with different values of distribution of energies are presented in Table 2 and Figure 2. These distributions are basically connected with the restructuring of H<sub>2</sub>O molecules with the same energies. This serves as a mathematical model explaining the behavior of EVODROP water regarding the distribution of H<sub>2</sub>O molecules to the energies of hydrogen bonds (Ignatov, Mosin, 2013) (2). The new model shows the number of water molecules and their structuring in clusters.

Table 2 Mathematical Model Results of spectral analysis with methods NES of EVODROP water with author Fabio Hüther, Switzerland

-E(eV) x-axis	EVODROP® (%((-E <sub>value</sub> ) * / (-E <sub>total value</sub> ))**	Tap Water (control sample) (%((-E <sub>value</sub> ) * / (-E <sub>total value</sub> ))**	-E(eV) x-axis	EVODROP® (%((-E <sub>value</sub> ) * / (-E <sub>total value</sub> ))**	Tap Water (control sample) (%((-E <sub>value</sub> ) * / (-E <sub>total value</sub> ))**
0.0912	0	8.0	0.1162	0	0
0.0937	0	0	0.1187	2.8	8.0
0.0962	5.5	8.0	0.1212	13.9	0
0.0987	2.8	0	0.1237	0	8.0
0.1012	8.3	8.0	0.1262	0	0
0.1037	0	8.0	0.1287	11.1	4.0
0.1062	11.1	8.0	0.1312	4.5	4.0
0.1087	0	8.0	0.1337	0	4.0
0.1112	14.5	0	0.1362	11.0	8.0
0.1137	0	8.0	0.1387	14.5	8.0




Figure 2: Mathematical Model Results of spectral analyses with methods NES of EVODROP water (red color) and control sample of tap water (green color) with author Fabio Hüther, Switzerland

**Notes:**

E=-0.1112 eV is the local extremum for stimulating effect on nervous system and improvement of nervous conductivity

E=-0.1212 eV is the local extremum for anti inflammatory effect

$E = -0.1387$  eV is the local extremum for inhibition of development of tumor cells of molecular level

**Notes:**

\* The result ( $-E_{\text{value}}$ ) is the result of hydrogen bonds energy for one parameter of (-E)

\*\* The result ( $-E_{\text{total value}}$ ) is the total result of hydrogen bonds energy

**3.2. Study of pH and ORP of samples of EVODROP water with author Fabio Hüther, Switzerland**

The research was performed from one of co-authors Georgi Gluhchev

The obtained results are shown in the following **Table 3**.

Table 3. Values of pH and ORP for EVODROP water.

EVODROP water values	ORP (mV)	ORP (mV)	ORP (mV)	pH	pH	pH
	Sample EVODROP water	Control Sample Tap water	Sample minus Control Sample	Sample EVODROP water	Control Sample Tap water	Sample minus Control Sample
	+80	+320	-240	6.54	7.78	-1.24

**3.3. Research of hardness of EVODROP water**

The parameter of hardness of tap water from Zurich is  $7.82 \pm 0.39$  mgeqv/l. The hardness of EVODROP water is  $7.02 \pm 0.35$  mgeqv/l. The difference  $7.82 - 7.02 = 0.8 \pm 0.04$  shows effect of decreasing of hardness of tap water from the device for EVODROP water.

This effect is essential for human health for cardio vascular system.

**4. CONCLUSION**

The basic conclusion from the research is that EVODROP water increases the average energy of hydrogen bonds among water molecules treatment compared to the average energy of hydrogen bonds among water molecules in control sample of tap water.

The mathematical models of EVODROP water give significant information about the possible number of hydrogen bonds as a percent of H<sub>2</sub>O molecules with different distribution of energy relative to the same number in control sample of tap water.

As a result of different energies of hydrogen bonds, the surface tension of EVODROP water is increased after the treatment relative to the control sample. This effect is connected with the preservation and increase in the energy of the biochemical processes between water molecules and biomolecules.

The following effects from the analysis of the local extremums in spectrum are valid:

1. Stimulating effect on nervous system and improvement of nervous conductivity
2. Anti inflammatory effect
3. Inhibition of development of tumor cells of molecular level

There is alkalization and increase in the number of free electrons in EVODROP water. These effects are essential for cellular metabolism.

Two of the authors (Ignatov and Gluhchev) suggest a mathematical model for the number of water molecules using the distribution of the hydrogen bonds energy  $E$  in the range  $(-0.0937 \text{ eV}; 13.23 \mu\text{m}; 756 \text{ cm}^{-1})$  to  $(-0.1387 \text{ eV}; 8.95 \mu\text{m}; 1117 \text{ cm}^{-1})$ .

The measurements with spectral methods NES and DNES show significant difference between EVODROP water and control sample with tap water. The result for EVODROP water in the NES-spectrum is  $-0.1221 \text{ eV}$ , while for control sample with tap water it is  $-0.1127 \text{ eV}$ . The value of  $\Delta E_{\text{H}\dots\text{O}}$  for EVODROP water measured by the DNES method are in the interval  $(-0.0094 \pm 0.0011 \text{ eV})$ .

The highest local extremum for EVODROP water is  $88.9 \text{ eV}^{-1}$  at  $(-0.1362 \text{ eV}; 9.10 \mu\text{m}; 1099 \text{ cm}^{-1})$  –  $(-0.1387 \text{ eV}; 8.95 \mu\text{m}; 1117 \text{ cm}^{-1})$ . This value is responsible for its antitumor effect.

The results from NES for  $E_{\text{H}\dots\text{O}}$  and DNES for  $\Delta E_{\text{H}\dots\text{O}}$  show that the angle of moisture at the EVODROP water is larger than the one at tap water (control sample).

The present investigation points at the relationship between the number of water molecules and the energy of hydrogen bonds, which may serve as a starting point for future research.

#### **COMPETING INTERESTS DISCLAIMER:**

Authors have declared that no competing interests exist. The products used for this research are commonly and predominantly used products in our area of research and country. There is absolutely no conflict of interest between the authors and producers of the products because we do not intend to use these products as an avenue for any litigation but for the advancement of knowledge. Also, the research was not funded by the producing company rather it was funded by personal efforts of the authors.

#### **DISCLAIMER**

The products used for this research are only for scientific purpose and they are not products of companies. There is absolutely no conflict of interests. The research was not funded by the producing company, rather it was funded by the authors themselves.

#### **ETHICAL APPROVAL**

1. I, the alone corresponding author, am authorized to submit this manuscript.
2. Submission of the manuscript represent that the manuscript has not been published previously and is not considered for publication elsewhere.

3. The manuscript, or any part thereof, is in no way a violation of any existing original or derivative copyright.

#### References:

1. Ignatov, I., Gluhchev, G., Karadzhev, G., Yaneva, I., Valcheva, N., Dinkov, G., Popova, T., Petrova, T., Mehandjiev, D., Akszonovich, I. Dynamic Nano Clusters of Water on Waters Catholyte and Anolyte: Electrolysis with Nano Membranes, *Physical Science International Journal*. 2020; 24 (1): 46-54.
2. Antonov, A. Research of the Non-equilibrium Processes in the Area in Allocated Systems, Dissertation thesis for degree "Doctor of physical sciences", Blagoevgrad, Sofia. 1995;1-254.
3. Ignatov, I., Antonov, A., Galabova, T. Medical Biophysics – Biophysical Fields of Man, Gea Libris, Sofia, 1998: 1-88.
4. Ignatov, I., Mosin, O. V. Structural Mathematical Models Describing Water Clusters, *Journal of Mathematical Theory and Modeling*, 2013; 3 (11): 72-87.
5. Keutsch, N., Saykally, R. Water clusters: Untangling the mysteries of the liquid, one molecule at a time, *PNAS*, 2001; 98(19):10533–10540.
6. Smith, J., Saykally, R. et al. Energetics of Hydrogen Bond Network Rearrangements in Liquid Water, *Science*, 2004; 306(5697):851-3
7. Smith, J., Saykally, R. et al. Unified Description of Temperature-dependent Hydrogen-bond Rearrangements in Liquid Water, *PNAS*; 2005: 102 (40) 14171-14174
8. Fowler, P. W., Quinn, C. M., Redmond, D. B. Decorated Fullerenes and Model Structures for Water Clusters, *The Journal of Chemical Physics*, 1991; 95(10): 7678-7681.
9. Shu, Li., Jegatheesan, L., Jegatheesan, V., Chun, Q. L. The Structure of Water, *Fluid Phase Equilibria*, 2020; 511.
10. Chaplin, M. The Water Molecule, Liquid Water, Hydrogen Bonds and Water Networks / in: *Water The Forgotten Biological Molecule*, D.Le Bihan & H.Fukuyama (eds.), Singapore: Pan Stanford Publishing Pte. Ltd. 2011.
11. Sykes, M. Simulations of RNA Base Pairs in a Nanodroplet Reveal Solvation-Dependent Stability, *PNAS*. 2007; 104 (30): 12336–12340.
12. Liu K., Cruzan J.D., Saykally R.J. Water clusters. *Science Magazine*. 1996; 271(5251): 929–933.
13. Choi T.N., Jordan K.D. Application of the SCC-DFTB Method to  $H^+(H_2O)_6$ ,  $H^+(H_2O)_{21}$ , and  $H^+(H_2O)_{22}$ . *J. Phys. Chem. B*, 114: 6932–6936.
14. Loboda O., Goncharuk V. Theoretical Study on Icosahedral Water clusters. *Chemical Physics Letters*, 2010; 484(4–6). 144–147.
15. Timothy S., Zwier S. Chemistry: the Structure of Protonated Water Clusters, *Science*. 2004; 304 (5674): 1119–1120.
16. Ignatov, I., Mosin, O.V. Methods for Research of Mountain and Melt Water as Factor of Longevity. Chemical Composition, NES and DNES Methods for Spectral Analysis. Effects of Calcium, Magnesium, Zinc and Manganese, *Advances in Physics Theories and Applications*, 2015; 44: 48-64.
17. Ignatov, I., Mosin, O. V., Velikov, B., Bauer, E. Tyminski, G. Longevity Factors and Mountain Water as Factor. *Research in Mountain and Fields Areas in Bulgaria, Civil and Environmental*



Research, 2014; 30 (4): 51-60.

18. Ignatov, I. Research of the Factors of Health and Longevity of for the Population in Bulgaria, Bulgarian Journal of Public Health, 2018; 10 (3): 52-85.

19. Toshkova, R., Zvetkova, E., Ignatov, I., Gluhchev, G. Effects of Catholyte Water on the Development of Experimental Graffi Tumor on Hamsters, Bulgarian Journal of Public Health, 2019; 11(3): 60-73.

20. Toshkova, R., Ignatov, I., Zvetkova, E., Gluhchev, G. Effects of Catholyte Water on the Development of Experimental Graffi Tumor on Hamsters, Cells&Cellular Life Sciences Journal,. 2019; 4 (1): 000140

21. Ignatov, I., Gluhchev, G., Karadzhov, S., Miloshev, G., Ivanov, N., Mosin, O. V. Preparation of Electrochemically Activated Water Solutions (Catholyte/Anolyte) and Studying of their Physical-Chemical Properties, Journal of Medicine, Physiology and Biophysics, 2015; 13: 18-38.

22. Gluhchev, G., Ignatov, I., Karadzhov, S., Miloshev, G., Ivanov, N., Mosin, O.V. Studying the Antimicrobial and Antiviral Effects of Electrochemically Activated NaCl Solutions of Anolyte and Catholyte on a Strain of E. Coli DH5 and Classical Swine Fever (CSF) Virus, European Journal of Medicine, 2015; 9 (3): 124-138.

UNDER PEER REVIEW